

Premium 2Way Accessory Catalog



(866) 218-9051

Page 3	Naming Convention
Page 4 & 5	BRAIDED FIBER CLOTH Earpieces
Page 6 & 9	
Page 10	Acoustic Tube Earpieces
Page 11	Ear Hook Earpieces
Page 12	D, C Rings and Ear Bud Earpieces
Page 13	Swivel Earpieces
Page 14 & 15	eco Priced Earpieces
Page 16 & 17	
Page 18 & 19	Retail Swivel Earpieces
Page 20 & 21	Knowles Hi-Def Earpieces
Page 22 - 25	
Page 26-31	Speaker Microphones
Page 32-33	Receive Only Earpieces
Page 34	Noise Cancelling Knowles Hi-Def Headsets
Page 35	Light Weight Headsets
Page 36 - 39	Heavy Duty Headsets
Page 40	Adaptors
Page 41	Hirose™ Adaptors and Accessories
Page 42	Acoustic Tube Ear Tips & Parts
Page 43	Earpiece & Headset Parts
Page 44	Radio & Hirose Adaptors
Page 45	Speaker Mic & Battery Parts
Page 46 - 53	Connector Charts





Earpieces

AT **Acoustic Tube Examples**

ATS **Acoustic Tube Straight**

AT lW = Acoustic Tube l Wire **SWVL** Swivel

Far Hook EH AT1W-M=AcousticTube1Wirewith

Ear Hook Large EHLG Motorola M Connector

DR D-Ring

D-Ring Adjustable DRA

Ear Bud EB SL SnapLock

ATROC15 = Acoustic Tube Coil 15mm **Receive Only Earpieces**

ATROC15-3.5 = Receive Only Acoustic Receive Only Coiled Wire ROC Tube Coiled Wire with 3.5 Connector

Receive Only Straight Wire ROS

Earpice Type

AT+2W = Acoustic Tube Braided 2 Wire **Braided Fiber**

AT+2W-M12 = Acoustic Tube Braided **1W** 1 Wire In-Line PTT

Fiber2WirewithMotorolaM12Connector 1 Wire Lines Out Bottom Of PTT 1WB

2 Wire 3 Wire **3W**

Speaker Mics SM6W = Speaker Mic 6 Water Proof

SM Speaker Mic SM6W-K=SpeakerMic6WaterProof Water Proof W

with K Connector **Noice Cancelling** NC

Headsets

HS Headset HSS = Headset Single Ear HSS

Headset Single Ear Headset Double Ear HSD

HSS-Y3 = Headset Single Ear with **Headset Behind Head** HSB Vertex Y3 Connector

Headset Behind Head Heavy Duty HSBHD

Headset In Ear HSIE

Parts

Adaptor AD AD-M12-M = Adaptor for Motorola M12

Ear Tip ETIP (Multi-Pin) to M (Single Pin)

Belt Clip BC

HOME OF THE ORIGINAL

BRAIDED FIBER CLOTH EARPIECES


3X STRONGER

90 Pound Pull-Strength









Available In

1 Wire Kit 2 Wire Kit

(2 Wire Is Noise Cancelling)

&

SNAPLOCK EARPIECE SYSTEM

SnapLock System - PTT Base



Braided Fiber Cloth SnapLock 1 Wire SL+1W



- Improved strength and durability
- Tangle-free
- A straight through in-line PTT / microphone with added shielding
- With male SnapLock connector



Braided Fiber Cloth SnapLock 2 Wire


SL+2W



- Improved strength and durability
- Tangle-free
- Noise cancelling premium microphone with clip-on PTT
- With male SnapLock connector

SnapLock 1 Wire

SL1W



 With male SnapLock connector





SnapLock 2 Wire SL2W

- Clip-on PTT with microphone
- With male SnapLock connector

SnapLock 3 Wire SL3W

- Palm PTT
- Discreet pin on lapel microphone
- With male SnapLock connector



Features

- Industry-leading 90lb pull strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR

HOME OF THE ORIGINAL

SNAPLOCK EARPIECE SYSTEM

®

1 Wire 2 Wire OR 3 Wire

Available In BRAIDED FIBER CLOTH Or Standard Resin Line

(R)

HOME OF THE ORIGINAL

SNAPLOCK EARPIECE SYSTEM

(R)

INDUSTRY'S LARGEST SELECTION

Available In BRAIDED FIBER CLOTH Or Standard Resin Line

(R)







SnapLock **Covert Ear Tips**

SL-ET+2-W - White SL-ET+2-B - Black



SL-HDIEF - Foam Tip









SnapLock Ear Hook

SnapLock

D&C-Ring

SL-DR - Standard SL-CR - C-Ring

SL-EH - Standard

SL-EHLG-Large speaker









SL-ATHD+ - Knowles Speaker



SnapLock 3.5 Connector

SL-F3.5 - Female

SL-3.5 - Male



Connector



N•ear SnapLock Stealth 260 & 360

SL-P260 Clear - Critical Comm.

SL-P360 Clear - Critical Comm.



SnapLock **Acoustic Tube**

SL-AT - Premium Acoustic Tube

SL-ATR - Economically Priced for retail and hospitality min



Acoustic Tube Earpieces



Braided Fiber Cloth **Acoustic Tube 1 Wire**

AT+1W



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- A straight through in-line PTT / microphone with added shielding

Braided Fiber Cloth **Acoustic Tube 2 Wire**

AT+2W



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- Noise cancelling premium microphone

Acoustic Tube l Wire

AT1W

- A straight through in-line PTT with microphone
- Surgical tubing with UV protection



Acoustic Tube 2 Wire

AT2W

- Clip-on PTT with microphone
- Surgical tubing with UV protection



Acoustic Tube 3 Wire

AT3W

- Surgical tubing with UV protection
- Palm PTT
- Discreet clip-on microphone

SeeReplacementPartsonAcousticPartsPage

Features

- Industry leading 30lb pull-strength
- Quick disconnect clip secures the earpiece and provides additional cable strain relief
- Twist off acoustic tubes hygienic quick and easy swap between multiple users sharing equipment

KEVLAR



Braided Fiber Cloth Ear Hook 1 Wire EH+1W

- gth and
- Improved strength and durability
- Tangle-free
- Enhanced comfort
- A straight through in-line PTT/ microphone with added shielding

Ear Hook l Wire EHIW

 A straight through in-line PTT with microphone





Ear Hook 2 Wire EH2W

 Clip-on PTT with microphone

Ear Hook with large speaker

EHLG1W

- Oversized
 Ear Hook speaker
- A straight through in-line PTT with microphone





Features

- Industry leading 30lb pull-strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR



D-Ring Adjustable 1 Wire DR1W DRAIW

- A straight through in-line PTT with microphone







C-Ring 1 Wire

CR1W

 A straight through in-line PTT with microphone

Ear Bud 1 Wire EB1W

 A straight through in-line PTT with microphone



Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR



Braided Fiber Cloth **Swivel** 1 **Wire**

SWVL+1W

- Improved strength and durability
- Tangle-free
- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users





Swivel 1 Wire SWVL1W

- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users

Swivel 2 Wire

SWVL2W

- Clip-on PTT with microphone
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users



Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR

eco price

Standard Earpiece Offering Economically (eco) Priced Below Our Premium N2W Accessories

25% to 35% Lower Pricing

1 Year Warranty



Ear Hook l Wire

EH1WB(eco)

 Lines out Bottom PTT with Microphone



Swivel 1 Wire

SWVL1WB(eco)

 Lines out Bottom PTT with Microphone



D-Ring 1 Wire DR1WB(eco)

- Lines out Bottom PTT with Microphone



- 25% 35% Lower Pricing
- Quality Microphone
- Loud Speaker
- Strong 360 Degree Rotating Clip
- Replaceable Parts
- 1 Year Warranty



Acoustic Tube

2 Wire AT2W(eco)

Lines out Bottom
 PTT with Microphone







NEW WRAP-TIGHT Adjustable Sizing Earpiece









Make it long or make it short

Wrap up the extra line for a perfect fit

- Premium in-line microphone
- Strong rotating clothing clip

KEVLAR

Cords on All Earpieces

Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector





NEW RETAIL SWIVEL

Available For: Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)



RETAIL CONNECTORS


Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)

















- Knowles Speaker
- Engineered for premium voice quality





- Foam Ear Tip
- Mechanical On/Off Ambient Noise Control
- Knowles Speaker
- Engineered for premium voice quality



Premium Speakers Engineeredspecifically for Voice Quality





NEW "HI-DEF" SNAPLOCK ACOUSTIC TUBE




Near

IMPROVED CRITICAL COMMUNICATIONS














360PRO
Patented Technology

0% Ear Fatigue

6 Patents

In-Ear Technology

FDA Approved

100% Situational Awareness

3 Year Warranty

Available In: SnapLock Earpiece System & Receive Only







SnapLock 260PRO

SL-P260-Clear SL-P260-Black SL-P260-Brown

- Patented Technology
- Zero ear fatigue
- Left or Right ear specific
- 1 Year Warranty



SnapLock 360PRO

SL-P360-Clear SL-P360-Black SL-P360-Brown

- Patented Technology
- Zero ear fatigue
- Left or Right ear specific
- 3 Year Warranty



Receive Only 260PRO

P260RO-3.5 Clear **P260RO**-3.5 Black **P260RO**-3.5Brown

P360RO-3.5 Clear **P360RO**-3.5 Black **P360RO**-3.5Brown

- Patented Technology
- Zero ear fatigue
- Left or Right ear specific
- 1 Year Warranty





BestSellingSpeakerMicrophone6Series

SIM6

- Compact, heavy-duty design
- IP55 rated water and dust resistant
- Dimensions: 2.25" x .8" x 2"
- Extra-Long, heavy-duty cord







SM6W

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"

SM6WL

- Same features as above SM6W
- Extra-Long heavy-duty cord



SM6WE

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"
- Emergency Button



Battery Powered Speaker Mic

SM7

- Great high and low volume
- Compact, heavy-duty design
- IP55 water & dust resistant
- Led Indicator Charging
- Volume control
- LED Front light
- Replaceable lithium 1500mAH battery
- Dimensions: 2.3" x 1.1 x 3"



3.5mm accessory port on the side

Micro USB Charging Port



KEVLAR

Cords on All Speaker Mics







SpeakerMicrophones

BROADWAY FECHNOLOGIES

Compact Size SM1

- Dimensions: 2.1" x 1" x 2.7"





3.5mm accessory port on the side 360 degree rotating clothing clip



Standard Size

- Dimensions: 2.3" x 1.1" x 3"





3.5mm accessory port on the side 360 degree rotating clothing clip



Compact Size SM3

- Dimensions: 2" x 1" x 2.8"

- Most economical
- Newly designed lightweight





3.5mm accessory port on the bottom 360 degree rotating clothing clip



Heavy Duty SM4

- Dimensions: 2.4" x 1.2" x 3"
- IP55 rated/ water and dust resistant

SM4W

- Available in waterproof with an IP67 rating/ water and dust proof
- No accessory jack





3.5mm accessoryport on the bottomSM4 model only360 degree rotatingclothing clip



Mobile Palm Mic

PM2

- Dimensions: 2.25" x .8" x 2"
- Includes mobile hang-up clip
- RJ45 connector
- IP57 rated/ water and dust resistant



KEVLAR

Cords on All Speaker Mics







ACTIVE NOISE CANCELLING Speaker Mic.

Background Noise & Voice Go Into Radio



Mic. Reduces Background Noise for Clear Voice







Passive Noise Cancelling SM2NC

- IP54 Dust & water resistant
- Heavy guage 4.2mm cable
- Strong 360-degree rotating clip



NOISE CANCELLING

Premium Accessories





MILSPECSPEAKERMIC8W Active Noise Cancelling



3 MIC TECHNOLOGY

Performance speaker with integrated DSP software for active noise cancellation via triple mics







- IP67 water protection

- Flame retardant

- Active noise cancellation

- Triple microphone

-Nexus5polejackforheadset

-Audiojackforearphone3.5mm

- Large front PTT

- Side PTT

- Volume (top) toggle switch

- Optional LED

- Optional emergency button

- Optional function button







RECEIVE ONLY - EARPIECES





Item: ATHDROC30-3.5

Available Now! Speaker Size On A Dime Knowles Life above the ROME - Engineered Audio Perfection

Knowles Premium Speaker
 Crystal Clear, Full Sound
 Clear Low & High Volumes
 Strong, Removable Clip

- Comes with Three Ear Tips

- Replaceable Acoustic Tube - Screw In







Hi-Def Premium Voice Receive Only

ATHDROC30-2.5 12 in long w/ 2.5mm ATHDROC30-3.5 12 in long w/ 3.5mm



Knowles

Hi-Def Premium Voice Receive Only

HDIEG+ROS30-2.59.5inlongw/2.5mm HDIEG+ROS30-3.59.5inlongw/3.5mm



Acoustic Tube Receive Only

ATROC10-2.5 4in long w/ 2.5mm ATROC15-2.5 6in long w/ 2.5mm

ATROC10-3.5 4in long w/ 3.5mm ATROC15-3.5 6in long w/ 3.5mm

ATROC30-2.5 12in long w/ 2.5mm

ATROC30-3.5 12in long w/ 3.5mm

ATROC120 48in long w/ 3.5mm



EBROC15-2.5 6in long w/ 2.5mm EBROC15-3.5 6in long w/ 3.5mm



D-Ring Receive Only

DRROC15-2.5 6in long w/ 2.5mm DRROC15-3.5 6in long w/ 3.5mm



D-Ring Adjustable Receive Only

DRAROC15-2.5 6in long w/ 2.5mm DRAROC15-3.5 6in long w/ 3.5mm



Ear Hook Receive Only

EHROC15-2.5 6in long w/ 2.5mm EHROC15-3.5 6in long w/ 3.5mm



Swivel Receive Only

SWVLROC15-2.5 6in long w/2.5mm SWVLROC15-3.5 6in long w/3.5mm



Braided Fiber Cloth Receive Only SnapLock

SL+ROS120-2.5 48in long w/ 2.5mm SL+ROS120-3.5 48in long w/ 3.5mm

See SnapLock System page



KEVLAR



NEW HI-DEF, NOISE CANCELLING IN-EAR HEADSET



MechanicalOn-OfftoAmbientNoise



PremiumNoiseReductionFoamTips Noise Cancelling Boom Mic $24.9 \sim 48.4 \text{ dB}$ Reduction







OVER & BEHIND HEAD LIGHTWEIGHT HEADSETS

Single Side Lightweight Over the Head Headset

HSS

- In-line PTT
- Adjustable over the head band
- Metal Headband



Double Side Lightweight Over the Head Headset

HSD

- In-line PTT with microphone
- Adjustable over the head band
- Metal Headband



Lightweight Behind the Head Headset

HSB

- In-line PTT
- Lightweight wire frame



Lightweight H/D Behind the Head Headset

HSBHD

- In-line round mushroom PTT with coil cable
- Adjustable headstrap
- Heavy duty wire frame





NEW HARD HAT Headset



- High quality noise cancelling microphone
- Super comfortable with foam earpads
- Clips right into hard hat
- PTT on earmuff
- Detachable PTT Cable
- Cable sold separately HS4-CAB







Noise Cancelling Boom Mics

Premium Molded Foam Ear Pads

SNR Rating 24dB - 33dB

NEW LIGHTWEIGHT PAD

Headset

- Adjustable over head dual ear muffs
- High quality noise cancelling microphone
- Quality foam ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB

- Works with all radio models





Item # HS-PTTCAB



SNR Rating 24dB ~ 33dB



Item # HS3



NEW LIGHTWEIGHT FLE Headset



- Lightweight and tight Collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models









Noise Cancelling Boom Mics

Premium Molded Foam Ear Pads

SNR Rating 24dB - 33dB

Item # HS3G

NEW LIGHTWEIGHT FLE Headset



- Lightweight and tight collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models

Available Now!











SNR Rating 24dB - 33dB









BEHIND HEAD HEAVY DUTY HEADSETS

PTT in Cable Headset HS5



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Coil Cable sold separately HS5-CAB, NX-CAB Available Colors

PTT on Ear Muff Headset HS4



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Coil Cable sold separately HS4-CAB, NX-CAB Available Colors

Features

- Premium molded gel ear pads
- Includes spare boom mic shield
- Flexible boom mic
- Microphones are noise cancelling/directional mic
- SNR rating 33db H=33db M=32db L=24dB

Volume and PTT on Headset HS8



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Volume control on right ear cup
- Push-to-talk on left ear cup
- Cable connector on both ear cups
- Coil Cable sold separately HS4-CAB

KEVLAR

CordsonLargeEarMuff



Adaptor Options





ADC-Y3-FL3.5 adaptor dongle to 3.5mm custom accessories

AD-Y3-FL3.5 adaptor to 3.5 mm custom accessories

Works with: VX260, VX231, VX300 Series, VX400 Series eVerge- eVX531, eVX534, eVX539

Perfect for multi shift users who are constantly plugging and unplugging earpieces, causing accessory port issues. This solution is reverse wired so the earpieces are plugged into the adaptor instead of directly into the radio, eliminating unwanted service problems for the dealer.

- Adaptor stays connected to the radio and accessories are connected and disconnected to the adaptor.
- Avoid costly repairs and radio down time associated with accessory port issues.



AdaptorEarpieceOptions

Additional Adaptors Available Inquire directly.

See Adaptor Parts Page



AD-K1-K Kenwood



AD-M15-M Motorola



AD-M12-M Motorola





Our Hirose™ quick disconnect adaptors allow users to quickly attach and detach accessories without having to use the connection to the radio.

A great option for users who want to disconnect the radio without removing their accessory, disconnect quickly for charging the radio or quickly change between radios.









AD-K1-Hirose - works with Kenwood radios

AD-M12-Hirose - works with Motorola MOTOTRBO radios



AD-M3-HiroseincludesPTTand 3.5mm accessory port

See on Adaptor Page



- Allows accessory to stay on person while changing or charging radios.
- Adaptor stays connected to the radio and accessories are quickly connected and disconnected to and from the adaptor
- Engineered and designed to ensure quality control

Hirose™EarpieceOptions

Available in 1 or 2 Wire Acoustic Tube



AT1W-Hirose 1-wire acoustic tube earpiece with straight throughin-linePTT/microphone

AT2W-Hirose 2-wire acoustic tube earpiece with clip-on PTT / microphone



AT+1W-Hirose 1-wire Braided Fiber Cloth acoustic tube earpiece with straight through inline PTT / microphone with added shielding

AT+2W-Hirose 2-wire Braided
Fiber Cloth acoustic tube
earpiece with noise cancelling
premium microphone and palm PTT

SNAPLOCK SYSTEM



SL-AT - Acoustic Tube SL-ATR - Acoustic Tube Retail

.....

Acoustic Tube Tips & Parts



Acoustic Tube Ear Tips



ETIP Tan/Black Clear 1, 2, 3 10 or 100 Pack



Molded Ear Tips Black/Clear/Pink S,M, L, Right/Left



EFIN Ear Fins Tips S,M, L, Right/Left




ETIP3-C - Clear 10 or 100 Pack



ETIPHDG-MLMR Hi-Def ear tip



ETIP-FOAM Premium Noise Reduction ear tip 24~48 dB 1,10 or 100 pack



ETIP-FOAM & Plug Premium Noise Reduction ear tips 24~48 dB



YELLERS Noise Reduction ear tip 1,10 or 100 pack

Acoustic Tube Parts



ATCOMPSET-Clear



C4TUBESET with Clear Tips



B4TUBESET - Clear Tips Surgical Tubing



Acoustic Tube only Clear/Black



TUBESET with Clear TipsSurgicalTubing




B4JOINTB



LJOINT - Joint



B4SPKCLIP-B





Headset Mic Foams and Ear Pads



ESSB-10-Black-for Ear Hook - 10 pack



MICMB - mic sponge HSB, HSS, HSBHD & HSD - 1 pack/10 pack



MICLB - mic sponge HS4, HS5, HS7, HS8 1 pack/10 pack



DRATIPB - adjustable D-Ring - 2 pack/10 pack



EMEGPAD - gel pad HS4, HS5, HS7, HS8



HSLWEP - earpad HSS & HSD



CLIP - fits 2.0mm & 2.5mm cable



CLIPA-2.0-3.8mm cable




ATHDCLIP



FPTT - Wired Finger PTT



USB-MICRO Cable



SM7BAT-SpeakerMic7 Replacement Battery

Radio & Hirose Adaptors



Adaptors



AD-M12-M Motorola



AD-M15-M Motorola



AD-M4-M Motorola



AD-M5-3.5 Motorola



AD-K1-K Kenwood



AD-Y3-FL3.5 Vertex



AD-I-S2 Icom



ADC-Y3-FL3.5 Vertex

HIROSE



AD-M3-HIROSE Motorola



AD-M15-HIROSE Motorola



AD-M12-HIROSE Motorola



AD-K1-HIROSE Kenwood

Call for options on non-US-stocked adaptors





Battery Clips



BC1-Clip for CP110 and RDU2080



BC2 - Clip for CP200



BC3- Clip for HT750 and HT1250



BC4 - Clip for Motorola XPR6550



BC5 - Clip for Motorola XPR3500 and XPR7550

Call for options on non-US-stocked clips

SpeakerMicClips



SM2CLIP- replacement clipforSM2,SM4&SM4W



SM3CLIP-replacement clip for SM1 & SM3



SM6CLIP-replacement clip for SM6



PMCLP-replacementclip for Palm Mics





Image	Part no.	Works With Radio Models:
	BK2	P150 KNG
	к	Relm RPU416, RPU416A, RPU499, RPU499A Plus, RPU4200, RPV516, RPV599X, RPV516A, RPV599A Plus
1	M5	Relm RPV3000 / 3600 / RPU3000 / 3300C
-	М	Relm RP6500

HARRIS

Image	Part no.	Works With Radio Models:
	HR2	P5300, P5350, P5370, P5400, P5450, P5470, P5500, P5550, P5570, P7300, P7370, P7350, XG-25, XG-75
9	H6	HDP100, HDP150, HDP250 Momentum
Towns.	Н7	HDP-250





Image	Part no.	Works With Radio Models:
1	Н4	BD5 Series, PD4 Series, PD5 Series, TC-446S, TC-500, TC-508, TC-518, TC-580, TC-600, TC-610, TC618, TC620, TC626, TC-700, TC-700 Ex PLUS, POWER446
4	Н5	TC320 with locking screw
9	H6	PD7 Series, PD98X
4	Н7	PD-6 Series, X1e, X1p
7	Н8	BD3 Series, PD3 Series
	M4	TC-980
	M 5	TC-610P, TC700P, TC-780P, TC-780M

Accessory Connector Chart



ICOM.

Image	Part no.	Works With Radio Models:
7	S2B	IP-100H, IP-501H - Waterproof
1	S 3	F1100D/F2100D, F3210D/F4210D, F11, F11S, F14, F14S, F21, F21S, F24, F24S, F33GS, F33GT, F43GS, F43GT, F43GS, F43GT, F43GS, F43GT, F43TR, F1000/F2000, F3003, F3021/F4021, F4029SDR, F3001/F4001, F3011/F4011, F3101/F4101, JC-V80/V80E,
1	S3B	F1000/F2000D/T/S, F1100D/F2100D, F3031S/4031S, F3230/4230DT/DS, F31/41W, V88 - BC1000 Watreproof
	12	F30G/ F30GT/ F30GS/ F31GS/ F31GT, F40G/ F40GS/ F40GT, F50/ F50V/ F51, F60/ F61/ F61V, F70, F80, M87 / 88, F3061 Series/ F4061 Series, IC-F3161 Series/ F4161 Series, F3062/F4162, F4029DRR
1	14	F3260/ F4230, F3261D/ F4261D, F3360D/ F4360D, PD52D, PD62D, F3400D/ F4400DT/DS/D, F5400/6400D/DS, F7010/F7020, F7210T/F/S, F9011/F9021,



KENWOOD

Image	Part no.	Works With Radio Models:
	К	Free Talk XLS, NX240V/340U, Pro Talk XLS, TK208/308, TK2100/3100, 2160/3160/3101,TK2170/3170/3173,TK220/320, TK240/340, TK240D/340D, T248, TK250/350/353, TK348, TK248, TK430/431, TK2200/3200, TK2202/3202/TK3212, TK2130, TK2212, TK2300/TK2312 3101 Free Talk, TK2400, TK2302/3302, TK3312, TK259/359, TK272G/372G, TK3100, TK3130 (ProTalk XLS), TK3173, TK2360, ,TK3230,TK3360, TK3131, TK3201, TK3300, TK3350, TK260G/360G, TK270G/370G, TK373G, XL2102/3102 Pro Talk, TK2400VP/3400UP, TK2402V/3402U, TK260, TK360, TK370, TK373 TK2130 ProTalk XLS),TK3131 (FreeTalk XLS) NEXEDGE NX220, NX240 / 340, NX320, NX420
M	K1	TK-190/290/390, TK-280/380/480, TK-385, TK-481, TK-2140/3140, TK-2180/3180/4180, TK-3148, TK-3212, TK-5210/5310, TK-5220/5320, TK-5410, TK-5320/5420, TK-5400, NX200/300, NX210, NX410/411, NX-3200/3300, NX-5200, NX-5300, NX-5400
1	К2	PKT23
1	К5	NX-P500
1	км	Kenwood Mobil Palm Mic

EFJohns n

Image	Part no.	Works With Radio Models:
-	М3	Viking VP600, VP900, Viking Fire, Viking CK8500 Series, Avenger 8100 Series, 51 Fire ES, 5100 ES Series, 51SL ES Series, 51LT ES, Multi-Net Ascend ES Series, AN/PRC 127EFJ





Image	Part no.	Works With Radio Models:
-	М	BC10, BC90, BC120, BC130, BPR40, CLS1110, CLS1410, CP125, CP88, CP100, CP110, CP150, CP185, CP200, CP200D, CP200XLS, CP450, CT150, CT250, CT450, CT450LS, DTR Series, GP2000, GP300, GP308, GP68, GP88, GP2000, GTI, GTX, LTS2000, MAG ONE, PR400, P040, P080, P110, P1215, P1225LS, PRO3150, SP10, SP21, SP50, XTN446, XTN500, XTN600, XV1100, XV2100, XU1100, XU2100, XU2600, VL130, VL50, GP280, GP350 (requires Motorola adaptor HLN9482)
*	МЗ	GP900, GP9000, HT1000, JT1000, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTX-LS, XTS2500, XTS3000Astro, XTS3500, XTS5000, XTS3000, PR1 500, XTS1500, MX838
	M4	GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, MTX950, PR860, MTP700, PRO5150, PRO5350, PRO5450, PRO5550, PRO5750, PRO7150, PRO7350, PRO7450, PRO7550, PRO9150, PTX700, PTX760, PTX780, PRO7750, WARIS
	М5	EX500, EX560, EX560XLS, EX600, GL200, GL2000, GP328Plus, GP338Plus, GP344, GP388, Pro5150Elite, Pro7150, Pro9150, Elite7150, Elite9150
	M12	APX6000, APX7000, DP3400, DP3401, DP3600, DP3601, SRX2200, XPR6300, XPR6350, XPR6380, XPR6500, XPR6550, XPR6580, XPR7350e, XPR7380e, XPR7550e, XPR7580e,
	M14	SL300, SL3000e, SL3500e, SL500, SL7000, SL7500, SL7550e, SL7580e, SL7590e, SL4000, SL4010 - WAVE TLK100
	M15	APX3000/8000, DP2000, DP2400, DP2600, DP 3441MTP,3100/3150/3200/3250/3500/3550, DP2400, DP2600, DP3441, MOTOTRBO - XPR3300e, XPR3500e
1	M17	CLP1010, CLP1040, CLP1060
-	ММ	XPR5000 Series Mobie Radio Pam Mic
1	MM1	CM200d, CM300d, XPR 2500 Mobile Radio Palm Mic



maxon 通過引列引息

Image	Part no.	Works With Radio Models:
-	М	TJ-3100V, TJ-3400U, TJ-3400UM, TP-5116, TP-5416, TP-8102, TP-8402, TP-8000BT Series, TP-8000R Series, TS-2116, TS-2416, TS-3116, TS-3416
-	M12	TPD-1116, TPD-1416, TPD-1124, TPD-1424
7	M14	TPD-8124, TPD-8424
=	к	TS-3416K

Accessory Connector Chart



Image	Dort no	Moules Mittle Dadio Madala		
Image	Part no.	Works With Radio Models:		
NEXTE	L			
7	KN	NEXTEL i300, i305, i405, i450, i475		
sepura				
1	SP2	SC230 Series, STP8000, STP9000, STP9100, STP9200		
tait	tait			
9	TA	TP8100 series, TP9400 series		
143/1/	TEKK			
	M Digital Ready	XU100, XV100, XU1000, XV1000		



Vertex Standard

Image	Part no.	Works With Radio Models:
-	Y3	BC95, eVerge- eVX531, eVX534, eVX539, VX10, VX130, VX160, VX180, VX210, VX210A, VX230, VX300, VX231, VX350, VX351, VX354, VX400, VX410, VX420, VX451, VX454, VX459
-	Y5	VX820, VX821, VX824, VX829, VX871, VX874, VX879, VX920, VX921, VX924, VX971, VX974, VX979
A	Y6	eVX-S24